

# KS-8810

## DATENBLATT DATASHEET



**KSE-LIGHTS**  
be tough - be safe - be different

LICHT LIGHT	Name//Name	KS-8810
	Art. -Nr. // Art. No.	KS-8810
SCHALTSTUFEN LIGHT MODES	max. Lumen // max. lumens	180 lm
	max. Distanz // max. distance	120 m
	Anz. Schaltstufen // no. of modes	3
	Optiken // optics	Linse // lense
	Optik #1 // optic #1	5000 Kelvin
	Leuchtmittel // light source	Cree XP-G LED
	Powermodus // power mode	KS-8810
SICHERHEIT SAFETY	Lumen // lumens	180 lm
	Distanz // distance	120 m
	Leuchtzeit // luminous time	8 h
	Arbeitsmodus // working mode	KS-8810
	Lumen // lumens	70 lm
	Distanz // distance	80 m
	Leuchtzeit // luminous time	30 h
	Blinkmodus // flashing mode	KS-8810
	Lumen // lumens	180 lm
	Distanz // distance	120 m
	Leuchtzeit // luminous time	80 h
	Zertifikate // certificates	KS-8810
GENERELLES GENERAL	ATEX	Ja // yes
	IECEX	Ja // yes
	Geräteklasse // equipment class	II 1G Ex ia IIC T4
	zulässige Temp. // allowed temp.	-20 °C <Ta< +40 °C
	Generelles // general	KS-8810
	Schutzklasse // protection class	IP67
	Gehäusematerial // housing material	Kunststoff // plastic
	Gehäusefarbe // color of housing	Gelb & Schwarz // black & yellow
	Gewicht // weight	144 g (ohne Batterien // without batteries)
	Garantie // warranty	2 Jahre // 2 years
	Batterien // batteries	4x AA
	Zolltarifnummern // customs tariff numbers	8513 1000
	Ursprungsland // country of origin	China // China
	Produktmaße // product dimensions	50mm x 55mm x 180mm
	Maße Verpackung // packing dimensions	55mm x 55mm x 190mm
	Lieferumfang // scope of delivery	KS-8810
	Lieferumfang // scope of delivery	Anleitung // manual
	Lieferumfang // scope of delivery	Batterien nicht enthalten // batteries not included
15.03.2022	Erstellt durch KSE-Lights	Rückfragen // questions? -> +49 (0) 23 33 - 982 47 30
	Erstelldatum	<a href="http://www.kse-lights.com">www.kse-lights.com</a>
	Irrtümer vorbehalten	<a href="http://www.shop.kse-lights.com">www.shop.kse-lights.com</a>
		<a href="#">KSE-Instagram</a>
		<a href="#">KSE-Facebook</a>