

KS-8890

DATENBLATT DATASHEET



KSE-LIGHTS
be tough - be safe - be different

LICHT LIGHT	Name // Name	KS-8890
	Art. -Nr. // Art. No.	KS-8890
SCHALTSTUFEN LIGHT MODES	max. Lumen // max. lumens	323 lm
	max. Distanz // max. distance	290 m
	Anz. Schaltstufen // no. of modes	2
	Optiken // optics	Reflektor // reflector
	Optik #1 // optic #1	6000 Kelvin
	Leuchtmittel // light source	Cree XP-G LED
	Powermodus // power mode	KS-8890
SICHERHEIT SAFETY	Lumen // lumens	323 lm
	Distanz // distance	290 m
	Leuchtzeit // luminous time	6h
	Arbeitsmodus // working mode	KS-8890
GENERELLES GENERAL	Lumen // lumens	140 lm
	Distanz // distance	190 m
	Leuchtzeit // luminous time	13 h
	Zertifikate // certificates	KS-8890
	ATEX	Ja // yes
SCHALTSTUFEN LIGHT MODES	IECEX	Ja // yes
	Geräteklasse // equipment class	II 1G Ex ia IIC T4 Gb
	Geräteklasse // equipment class	I M1 Ex ia I Ma
SICHERHEIT SAFETY	zulässige Temp. // allowed temp.	-20 °C <Ta< +40 °C
	Generelles // general	KS-8890
	Schutzklasse // protection class	IP54
GENERELLES GENERAL	Gehäusematerial // housing material	Kunststoff // plastic
	Gehäusefarbe // color of housing	Gelb & Schwarz // black & yellow
	Gewicht // weight	250 g (ohne Batterien // without batteries)
	Garantie // warranty	2 Jahre // 2 years
	Batterien // batteries	4x AA
SCHALTSTUFEN LIGHT MODES	Zolltarifnummern // customs tariff numbers	8513 1000
	Ursprungsland // country of origin	China // China
	Produktmaße // product dimensions	65mm x 60mm x 190mm
	Maße Verpackung // packing dimensions	75mm x 68mm x 195mm
	Lieferumfang // scope of delivery	KS-8890
SICHERHEIT SAFETY	Lieferumfang // scope of delivery	Standardclip // standard clip
	Lieferumfang // scope of delivery	Anleitung // manual
	Lieferumfang // scope of delivery	Batterien nicht enthalten // batteries not included
	Lieferumfang // scope of delivery	
15.03.2022	Erstellt durch KSE-Lights	Rückfragen // questions? -> +49 (0) 23 33 - 982 47 30
	Erstelldatum	www.kse-lights.com
	Irrtümer vorbehalten	www.shop.kse-lights.com
		KSE-Instagram
15.03.2022		KSE-Facebook