



- AUFLADEN ÜBER LADEKABEL
RECHARGING VIA CHARGING CABLE

LITHIUM-IONEN-AKKUMULATOR
LITHIUM-ION BATTERY

>80% KAPAZITÄT NACH 500 LADEZYKLEN
>80% CAPACITY AFTER 500 CYCLES

INKLUSIVE LADEGERÄT, NEOPRENCOVER & TRAGEBAND
INCLUDING CHARGER, NEOPRENE COVER & STRAP
- 900 GRAMM
GRAMS

IP68 SCHUTZKLASSE
PROTECTION CLASS

<8 STUNDEN LADEZEIT
HOURS CHARGING TIME


BESCHICHTETES ALUMINIUM
COATED ALUMINIUM

Ex

ZONE
1/21

II 2G Ex db ib IIC T6 Gb
II 2D Ex ib tb IIIC T80°C Db
-20°C <Ta< +55°C

TEMP
-20° / +55°



- AUFLADEN ÜBER LADEKABEL
RECHARGING VIA CHARGING CABLE

LITHIUM-IONEN-AKKUMULATOR
LITHIUM-ION BATTERY

STARKE MAGNETE IM LEUCHTENFUß
STRONG MAGNETS IN THE AT THE BOTTOM

INKLUSIVE LADEGERÄT
INCLUDING CHARGER
- 1500 GRAMM
GRAMS

IP66 SCHUTZKLASSE
PROTECTION CLASS

<6 STUNDEN LADEZEIT
HOURS CHARGING TIME

BESCHICHTETES ALUMINIUM & KUNSTSTOFF
COATED ALUMINIUM & PLASTIC

Ex

ZONE
1/21

II 2G Ex db eb mb IIC T6 Gb
II 2D Ex tb IIIC T80°C Db
-20°C <Ta< +55°C

TEMP
-20° / +55°



HL-1000-EX

LICHTSTROM
LUMINOUS FLUX

LEUCHTDISTANZ
LIGHTING RANGE

LEUCHTZEIT
LUMINOUS TIME

SCHALTSTUFEN
LIGHT MODES

POWERMODUS
POWER MODE

ARBEITSMODUS
WORK MODE

BLINKMODUS
FLASHING MODE

890 LUMEN
LUMENS

830 METER
METERS

8-20 STUNDEN
HOURS

3x DISTANZREFLEKTOR
3x DISTANCE REFLECTOR

HL-1000-EX

HL-3000-EX

LICHTSTROM
LUMINOUS FLUX

LEUCHTDISTANZ
LIGHTING RANGE

LEUCHTZEIT
LUMINOUS TIME

SCHALTSTUFEN
LIGHT MODES

FLÄCHENMODUS (P)
AREA MODE (P)

FLÄCHENMODUS
AREA MODE

DISTANZMODUS (P)
DISTANCE MODE (P)

DISTANZMODUS
DISTANCE MODE

1500 LUMEN
LUMENS

700 METER
METERS

8-16 STUNDEN
HOURS

3x FLÄCHENLINSE
3x AREA LENSE

3x DISTANZLINSE
3x DISTANCE LENSE

HL-3000-EX